



## ***PHARMACIST TEST***

NAME: \_\_\_\_\_

DATE: \_\_\_\_\_

1. **To diense an order calling for: prednisone 5 mg, one t.i.d. X 3 days; one b.i.d. X 3 days; one q.d. X 3 days, the total medication needed is:**
  - a. 15 tablets
  - b. 18 tablets
  - c. 21 tablets
  - d. 24 tablets
  
2. **Which of the following are not treated with Nifedipine?**
  - a. Angina
  - b. Arrhythmias
  - c. Htn
  - d. Fluid retention
  
3. **An example of a major drug-drug interaction would be:**
  - a. Warfarin-aspirin
  - b. Digoxin-diltiazem
  - c. Penicillin-cephalexin
  - d. Hydrocodone-codeine
  
4. **Which of the following is not a side effect of the Vasodilator (Nifedipine)?**
  - a. Nausea
  - b. Flush appearance
  - c. Vertigo
  - d. Sexual dysfunction
  
5. **A physician orders 125 mg/5 mL Dilantin suspension to replace an order reading, "Dilantin 100 mg, Dispense: #30, Sig: i t.i.d." What quantity of suspension should be dispensed?**
  - a. 100 mL
  - b. 120 mL
  - c. 300 mL
  - d. 360 mL

6. **Which of the following is not an effect of the drug (Clozapine)?**
- Agranulocytosis
  - Antipsychotic
  - Used for Schizophrenia
  - Increased appetite
7. **Which of the following is not treated with (Epinephrine)?**
- Renal disease
  - Asthma
  - Hypotension
  - Glaucoma
8. **Which of the following is the primary site of activity for the drug Warfarin?**
- Kidney
  - Liver
  - Blood
  - Heart
9. **Which of the following is not treated with (Ephedrine)?**
- COPD
  - Hypotension
  - Congestion
  - Incontinence
10. **Potassium sparing diuretics have the primary effect upon the \_\_\_\_\_ found in the kidney.**
- Proximal convoluted tubule
  - Loop of Henle
  - Collecting duct
  - Distal convoluted tubule
11. **Which of the following are not treated with Methotrexate?**
- Sarcomas
  - Leukemias
  - Ectopic pregnancy
  - Rheumatic fever
12. **A drug ending in the suffix (tidine) is considered a \_\_\_\_\_.**
- Antidepressant
  - Protease inhibitor
  - Beta antagonist
  - H<sub>2</sub> antagonist
13. **Which of the following are not treated with Prednisone?**
- Cushing's disease
  - Testicular cancer
  - Lymphomas
  - Chronic leukemias

- 14. Which of the following are not treated with Dexamethasone?**
- a. Inflammation
  - b. Asthma
  - c. Addison's disease
  - d. Wilson's disease
- 15. Which of the following drugs is associated with the reaction of hepatitis?**
- a. Valproic acid
  - b. Quinidine
  - c. Isoniazid
  - d. Ethosuximide
- 16. A drug ending in the suffix (navir) is considered a \_\_\_\_\_.**
- a. Antidepressant
  - b. Protease inhibitor
  - c. Beta antagonist
  - d. H<sub>2</sub> antagonist
- 17. Which of the following drugs is associated with the reaction of extreme photosensitivity?**
- a. Digitalis
  - b. Niacin
  - c. Tetracycline
  - d. Fluoroquinolones
- 18. Which of the following is not related to a drug toxicity of Prednisone?**
- a. Cataracts
  - b. Hypotension
  - c. Psychosis
  - d. Acne
- 19. Which of the following is considered a class IA Sodium Channel blocker?**
- a. Propafenone
  - b. Disopyramide
  - c. Aminodarone
  - d. Quinidine
- 20. Which of the following is not directly related to a drug toxicity of Nitroglycerin?**
- a. Headaches
  - b. Tachycardia
  - c. Dizziness
  - d. Projectile vomiting